

झापांक.....3074...../आपूर्ति

95-1-10-2015

पुलिस महानिदेशक का कार्यालय, बिहार, पटना।

पटना, दिनांक- 29-7-15

सेवा में,

निदेशक,  
सूचना एवं जनसम्पर्क विभाग,  
बिहार, पटना।

विषय- निविदा आमंत्रण सूचना सं०-15/2015-16 के प्रकाशन के संबंध में।

निदेशानुसार उपर्युक्त विषय के संबंध में निविदा आमंत्रण सूचना सं०-15/2015-16 की पाँच प्रतियाँ (सी०डी० सहित) संलग्न करते हुए अनुरोध है कि इसे राज्य एवं राज्य से बाहर के प्रमुख समाचार पत्रों में (अंग्रेजी एवं हिन्दी) के अगले दो संस्करणों में प्रकाशित कराने की कृपा की जाय साथ ही पी०आर०डी० वेबसाइट पर भी प्रसारित करने की कृपा की जाय।

इस निविदा आमंत्रण सूचना का प्रकाशन किन-किन समाचार पत्रों में किया गया इसकी सूचना देने की कृपा की जाय।

अनु०-यथोपरि।

*Singh*  
29/07/15

पुलिस महानिरीक्षक के सहायक (क्यू०),  
बिहार, पटना।

प्रतिलिपि:- आई०टी० मैनेजर, पुलिस महानिदेशक का कार्यालय, बिहार, पटना को कृपया सूचनार्थ। कृपया इसे आज ही वेबसाइट पर अपलोड किया जाय।

**Police Headquarters, Bihar, Patna**  
**Notice Inviting Tender No.15/2015-16**

1. Name of the Department : Office of Director General of Police, Bihar, Patna.
2. Last date & time for the acceptance of the tender : 31/08/2015, Till 11.00 HRS.
3. Date & time fixed for the opening of the tender : 31/08/2015 At 11.00 HRS.
4. Place fixed for receiving & opening the tender : Office of Director General of Police, Bihar, Patna.
5. Details of Job :

S.N.	Item name	Quantity
1	B.P. SUV	06
2	B.P. Light Troop Carrier	04


Specifications and other terms & conditions of the tender may be obtained in person from this office or may be downloaded from the website [www.prdbihar.org](http://www.prdbihar.org) or [www.biharpolice.bih.nic.in](http://www.biharpolice.bih.nic.in).

*Singh*  
29/07/15  
AIG (Q)  
Bihar, Patna

## Terms & Conditions Of Tender No. 15/2015-16

1. Tender of the firm will be accepted only on the condition that if their tenders are approved, the firm shall get registered with the Commercial Tax Department, Bihar, before the purchase order is issued.
2. The tender should be submitted in two parts : (i) Technical Bid and (ii) Financial Bid, duly sealed in two separate envelopes super-scribed as "Technical Bid" and "Financial Bid".
3. All relevant papers/certificates/specifications etc. of items should be enclosed in the Technical Bid.
4. The rates of the items shall be quoted in the Financial Bid only.
5. All charges like BST/CST/Service Tax /VAT etc. shall be clearly mentioned in the Financial Bid and the net rate (in figures and words) including all taxes and duties must also be quoted. Vague offers like indicating taxes "as applicable" will not be accepted.
6. The rates of the items shall be quoted in the Financial Bid in two parts : (i) With AMC (Annual Maintenance Contract) and (ii) Without AMC
7. There should be no cutting, over writing or correction on the rates.
8. The technical and financial bids for each item should be submitted separately in separate envelopes. The technical and financial bids for more than one items submitted together in the same envelope shall not be accepted.
9. If the financial bid is submitted in the same envelope containing the technical bid then also it shall be summarily rejected.
10. The technical and financial bids should be put in two separate sealed envelopes and the envelopes should be marked Tender No.15/2015-16 (Technical Bid) and Tender No.15/15-16 (Financial Bid) along with the name and address of the firm. The sealed envelopes containing the technical and the financial bids should be sent in another sealed envelope which should be marked as Tender No.15/2015-16. This envelope should not bear the name and address of the firm.
11. Up-to-date Income Tax Returns, Turn Over of last three financial years and a photocopy of PAN of the participating firm should be submitted with the technical bid. It should be specifically mentioned whether IT return has been filed manually or electronically.
12. The turn over of the firm for the 2014-15 financial year should be at least double the amount of the supply order which is being issued. A copy of the profit and loss Account of the firm for the 2014-15 financial year, certified by a Chartered Accountant should be submitted along with the tender. If the tenderer is authorized dealer or authorized supplier of manufacturing firm, then the certified details of the turnover of authorizing firm may be accepted.
13. If there is some discount in the price of any item, it should be deducted from price itself and should not be quoted separately.
14. If the product is available on DGS & D rate contract, then a copy of the contract must be attached and pricing be done including all taxes.

15. A copy of the test report for the product issued by a competent authority within last one year should be attached with the technical bid.
16. In case of BP/BR items, test report of TBRL is compulsory.
17. Firms participating in this tender shall also submit the self attested list of users of its equipments.
18. All items shall be received at Central Clothing Store, Patna, therefore price should be quoted FOR Central Clothing Store, Phulwari Sharif, Patna.
19. Firms will have to deposit a sum of Rs.50,000/- (Fifty Thousand) only as an earnest money in the form of Bank Draft duly pledged in favour of the undersigned along with the quotations.
20. Technical Bids will be opened on 31/08/2015 at 11.00 A.M in the office chamber of the undersigned. Representatives of the firms competing in the tender may remain present at the time of opening of the technical bid.
21. The technical bids will be opened first and placed before the Technical Committee of the Police Headquarters, Bihar. If the technical bids are found satisfactory as per tender conditions, it will be put before Central Purchase Committee of the Police Headquarters, Bihar. The firms may be required to participate in the demonstrations of the quoted product and discussions with this committee.
22. Any paper/document will not be accepted after opening the tender.
23. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the order as security money in the form of Bank Guarantee duly pledged in favor of undersigned.
24. The firm will be required to provide satisfactory service after the delivery of the product.
25. The firm will be required to supply all the items within the stipulated time frame as mentioned in the purchase order.
26. Payment for the delivered items will be made only after the acceptance report of the Inspection Committee of the Police Headquarters, Bihar.
27. The firm whose quotation is approved by the Central Purchase Committee of the Police Headquarters, Bihar, shall be invited to enter into an agreement with the undersigned.
28. It is compulsory to submit the duly filled chart attached herewith, along with the technical bid.
29. Indexing of the requisite documents must be done and submitted along with the technical bid.
30. Hands on training of the equipment must be imparted to the user group by the firm.
31. Director General of Police Bihar, Patna reserves the right to reject any or all the quotations partially or fully without assigning any reason thereof.
32. The Quantity indicated may increase or decrease at the time of issuing purchase order.

  
 29/07/15  
 A I G of Police (Q)  
 Bihar, Police.

21  
8

## TECHNICAL SPECIFICATIONS For Bullet Proof Light Troop Carrier.

S. No	Parameters	Specifications.
1	CMVR	Vehicle should be CMVR certified at Bullet Proof vehicle level from VRDE (Vehicle Research Development Establishment)
2	Seating Capacity	Seating Capacity = 10, 2 (Driver + Co Driver) + 8 Crew
3	Body and Cabin	Foldable type hanging seats with foot rest and safety belt provided. 3 Nos of view ports and 02 Nos of firing ports to be provided in vehicle on each side. 2 Nos of view ports and 02 Nos of firing ports to be provided in rear door also.
4	Air conditioner	Air conditioning as standard feature
5	Engine	Power : 93.5Kw @2500rpm Torque: 410 Nm @1400-1700 rpm
6	Emission	BSII/ BSIII Base Vehicle
7	Transmission	5 Speed & 1 Reverse- manual,
8	Suspension	Should be modified suitably to cater for the Bullet Proof Load of the vehicle. Approved during CMVR certification.
9	Brakes	Front & Rear- Drum Type
10	Clutch	Single Plate Dry Type
11	Steering	Right Hand Drive hydraulic power assisted steering.
12	Dimension	Length : < 6100 mm Width : < 2300 mm Wheel Base - < 3300 mm Height : < 3000 mm
13	Wheels	Tubeless Tyres with Run Flat System Rim : Alloy/Steel
15	Kerb Weight	< 6700 Kgs
16	Lightning System	12V, All vehicles lights with engine compartment light and brake lamp & head lamp.
18	Gross Vehicle Weight	GVW < 7700 Kgs
19	Ground Clearance	> 245 mm.
20	Manufacturer.	OEM of the Bullet Proof Vehicle only (Any Dealer / Fabricator providing the vehicle is NOT OEMs of the vehicle)
21	Warranty	20,000 Kms or 2 Years whichever is earlier.

651066

22	Service Support	OEMs service centres across India for repair of the vehicle. List of Service Centres of OEM across Bihar & nearby States should be enclosed along with the tender.
<b>Ballastic Protection</b>		
1	All Sides -	The Vehicle shall be Protected from all sides against NIJ Level III i.e. 7.62x 51 mm NATO Ball SLR or 7.62x 39 mm (AK) from a distance of 10 m at 90° angle of attack.
2	Top	The Roof of the vehicle should be protection against NIJ Level III i.e. 7.62x 51 mm NATO Ball SLR or 7.62x 39 mm (AK) from a distance of 10 m at 45° angle of attack.
3	Floor Protection	The floor of the vehicle should be protected against two hand greande HE-36/M 36 (or 50 grams of TNT )blast simultenuously under the floor.
4	Front Panel Protection	It should be there to have protection at front from frontal fire to the driver and person sitting in the front.
5	Tyres	The vehicle should contain 5 Nos of Run Flat System with Tubeless Tyres. The Tyres should be capable to run the vehicle for around 100 Kms after being hit by bullet at optimum speed as per FINABEL Standard.
6	Fuel Tank	Explosive suppression material must be present in fuel tank.

*CSG*

## TECHNICAL SPECIFICATIONS For Bullet Proof SUV.

S. No	Parameters	Specifications.
1	CMVR	Vehicle should be CMVR certified at Bullet Proof vehicle level from VRDE (Vehicle Research Development Establishment)
2	Seating Capacity	Seating Capacity = 7, 2 (Driver + Co Driver) + 5 Crew
3	Body and Cabin	Exterior of the vehicle shall look a like as per Base Vehicle 2 Bucket Type Seats for Driver and Co Driver and sofa seat or 2 bucket seat in middle row for VVIP and 2 jump seats.
4	Air conditioner	A/c with vents in front and rear seats.
5	Engine	Power : 140 bhp @4000rpm Torque: 320 Nm @1700-2700 rpm
6	Emission	BSIII/ BSIV Base Vehicle
7	Transmittion	5 Speed & 1 Reverse- manual, 2WD/4WD
8	Suspension	Should be modified suitably to cater for the Bullet Proof Load of the vehicle. Approved during CMVR certification.
9	Brakes	Front - Ventilated Disk, Rear- Disk with Drum.
10	Clutch	Single Plate Dry Type
11	Steering	Right Hand Drive hydraulic power assisted steering.
12	Dimension	Length : < 4700 mm Width : < 1950 mm Wheel Base - < 2700 mm Height : < 2000 mm
13	Wheels	Tubeless Tyres with 100 kms Run Flat System Rim : Alloy/Steel
14	Safe Speed	90 kmph
15	Min. Turning Radius	< 7.2 m
16	Kerb Weight	< 2900 Kgs
17	Lightining System	12V, All vehicles lights with engine compartment light and brake lamp & head lamp.
18	Fuel system	Diesel
19	Gross Vehicle Weight	GVW < 3400 Kgs
20	Ground Clearence	> 190 mm.

*(Signature)*

212  
5

21	<b>Manufacturer.</b>	OEM of the Bullet Proof Vehicle only (Any Dealer / Fabricator providing the vehicle is NOT OEMs of the vehicle)
22	<b>Warranty</b>	20,000 kms or 2 Years whichever is earlier.
23	<b>Service Support</b>	OEMs service centres across India for repair of the vehicle. List of Service Centres of OEM across Bihar should be enclosed along with the tender.
<b>Ballastic Protection</b>		
1	<b>All Sides -</b>	The Vehicle shall be Protected from all sides against NIJ Level III i.e. 7.62x 51 mm NATO Ball SLR or 7.62x 39 mm (AK) from a distance of 10 m at 90° angle of attack.
2	<b>Top</b>	The Roof of the vehicle should be protection against NIJ Level III i.e. 7.62x 51 mm NATO Ball SLR or 7.62x 39 mm (AK) from a distance of 10 m at 45° angle of attack.
3	<b>Underbelly Protection</b>	The underbelly of the vehicle should be protected against two hand greande HE-36/M 36 blast simultenuously under the belly.
4	<b>Transparent Armour</b>	Protection against 7.62x 51 mm NATO Ball SLR from a distance of 10 m at 90°.
5	<b>Tyres</b>	The vehicle should contain 5 Nos of Run Flat System with Tubeless Tyres. The Tyres should be capable to run the vehicle for around 100 Kms after being hit by bullet at optimum speed as per FINABEL Standard.
<b>Optional Features</b>		
1	<b>Power Windows</b>	Power Windows can be provided on Co Driver + Any Other Window as desired by customer. Max Travel 180-200mm.
2	<b>Captain Seat</b>	2 Captain Seats in Middle row can be provided in place of Sofa Seat.
3	<b>Flag Rod</b>	2 Nos Flag Rod can be provided in the Vehicle without any extra cost.
4	<b>LED Light on Co Driver Seat</b>	LED Lights can be provided in front of Co Driver Seat without any extra cost.

*Handwritten signature*