

ज्ञापांक.....167...../आपूर्ति

95-1-14-2015

पुलिस महानिदेशक का कार्यालय, बिहार, पटना।

पटना,दिनांक- 13-01-16

सेवा में,


निदेशक,  
सूचना एवं जनसम्पर्क विभाग,  
बिहार, पटना।

विषय- अल्पकालीन पुनर्निविदा आमंत्रण सूचना सं०-41/2015-16 के प्रकाशन के संबंध में।  
निदेशानुसार उपर्युक्त विषय के संबंध में अल्पकालीन पुनर्निविदा आमंत्रण सूचना सं०-41/2015-16 की पॉच प्रतियाँ (सी०डी० सहित) संलग्न करते हुए अनुरोध है कि इसे राज्य एवं राज्य से बाहर के प्रमुख समाचार पत्रों में (अंग्रेजी एवं हिन्दी) के अगले दो संस्करणों में प्रकाशित कराने की कृपा की जाय साथ ही पी०आर०डी० वेबसाइट पर भी प्रसारित करने की कृपा की जाय। उक्त निविदा का प्रकाशन Indian Trade Journal, Kolkata के संस्करण में भी अनिवार्य रूप से कराया जाय, जिसका पता निम्न है :-

The Controller of Publications, Government of India, Civil Lines, Delhi :110054,(Tel No. 011-23812527, FAX:011-23817846), Email Id-sk.mondal.dgcis@nic.in


इस निविदा आमंत्रण सूचना का प्रकाशन किन-किन समाचार पत्रों में किया गया इसकी सूचना देने की कृपा की जाय।

अनु०-यथोपरि।

  
पुलिस महानिरीक्षक के सहायक (क्यू०),  
बिहार, पटना।

प्रतिलिपि:-

1. आई०टी० मैनेजर, पुलिस महानिदेशक का कार्यालय, बिहार, पटना को कृपया सूचनार्थ। कृपया इसे आज ही वेबसाइट पर अपलोड किया जाय। साथ ही Indian Trade Journal, Kolkata के अंक में प्रकाशन हेतु The Controller of Publications, Government of India, Civil Lines, Delhi : 110 054,(Tel No. 011-23812527, FAX : 011-23817846), Email Id-sk.mondal.dgcis@nic.in के पते पर भी अनिवार्य रूप से भेजा जाय।
2. The Controller of Publications, Government of India, Civil Lines, Delhi : 110 054,(Tel No. 011-23812527, FAX : 011-23817846), Email Id-sk.mondal.dgcis@nic.in को कृपया सूचनार्थ एवं आवश्यक क्रियार्थ प्रेषित। अनुरोध है कि उक्त निविदा का प्रकाशन Indian Trade Journal, Kolkata के अंक में करने की कृपा की जाय।

  
पुलिस महानिरीक्षक के सहायक (क्यू०),  
बिहार, पटना।

**Police Headquarters, Bihar, Patna**  
**Notice Inviting Short Re-Tender No.41/2015-16**

1. Name of the Department : Office of Director General of Police, Bihar, Patna.
2. Last date & time for the acceptance of the Short Re-Tender : 22/01/2016, Till 11.00 HRS.
3. Date & time fixed for the opening of the Short Re-Tender : 22/01/2016 At 11.00 HRS.
4. Place fixed for receiving & opening the tender : Office of Director General of Police, Bihar, Patna.
5. Details of Job :

S.N.	Item name	Quantity
1	Electronic Stethoscope	02
2	Telescopic Manipulator	01
3	Remote Operated Wire Cutter	02
4	Telescopic Proder (Non-Metalic)	04
5	Extension Mirror	10
6	Telescopic Proder (Metalic)	02

Specifications and other terms & conditions of the tender may be obtained in person from this office or may be downloaded from the website [www.prdbihar.org](http://www.prdbihar.org) or [www.biharpolice.bih.nic.in](http://www.biharpolice.bih.nic.in).

*[Signature]*  
12/01/16  
AIG (Q)  
Bihar, Patna

## Terms & Conditions Of Short Re-Tender No. 41/2015-16

1. Tender of the firm will be accepted only on the condition that if their tenders are approved, the firm shall get registered with the Commercial Tax Department, Bihar, before the purchase order is issued.
2. The tender should be submitted in two parts : (i) Technical Bid and (ii) Financial Bid, duly sealed in two separate envelopes super-scribed as "Technical Bid" and "Financial Bid".
3. All relevant papers/certificates/specifications etc. of items should be enclosed in the Technical Bid.
4. The rates of the items shall be quoted in the Financial Bid only.
5. All charges like BST/CST/Service Tax /VAT etc. shall be clearly mentioned in the Financial Bid and the net rate (in figures and words) including all taxes and duties must also be quoted. Vague offers like indicating taxes "as applicable" will not be accepted.
6. The rates of the items shall be quoted in the Financial Bid in two parts :  
(i) With AMC (Annual Maintenance Contract) and (ii) Without AMC
7. There should be no cutting, over writing or correction on the rates.
8. The technical and financial bids for each item should be submitted separately in separate envelopes. The technical and financial bids for more than one items submitted together in the same envelope shall not be accepted.
9. If the financial bid is submitted in the same envelope containing the technical bid then also it shall be summarily rejected.
10. The technical and financial bids should be put in two separate sealed envelopes and the envelopes should be marked Short Re-Tender No-41/2015-16 (Technical Bid) and Short Re-Tender No-41/15-16 (Financial Bid) along with the name and address of the firm. **The sealed envelopes containing the technical and the financial bids should be sent in another sealed envelope which should be marked as Short Re-Tender No-41/2015-16. This envelope should not bear the name and address of the firm.**
11. Up-to-date Income Tax Returns, Turn Over of last three financial years and a photocopy of PAN of the participating firm should be submitted with the technical bid. It should be specifically mentioned whether IT return has been filed manually or electronically.
12. The turn over of the firm for the 2014-15 financial year should be at least double the amount of the supply order which is being issued. A copy of the profit and loss Account of the firm for the 2014-15 financial year, certified by a Chartered Accountant should be submitted along with the tender. If the tenderer is authorized dealer or authorized supplier of manufacturing firm, then the certified details of the turnover of authorizing firm may be accepted.
13. If there is some discount in the price of any item, it should be deducted from price itself and should not be quoted separately.
14. If the product is available on DGS & D rate contract, then a copy of the contract must be attached and pricing be done including all taxes.
15. A copy of the test report for the product issued by a competent authority within last one year should be attached with the technical bid.
16. In case of BP/BR items, test report of TBRL is compulsory.

- /.Firms participating in this tender shall also submit duly sworn affidavit to the effect that " this firm has not been black listed/debarred by any Government or Semi Government or Private Agency and no sister concern of this firm is participating in this tender."
- 18.Firms participating in this tender shall also submit the self attested list of users of its equipments.
- 19.All items shall be received at Central Clothing Store, Patna, therefore price should be quoted FOR Central Clothing Store, Phulwari Sharif, Patna.
- 20.Firms will have to deposit a sum of Rs.50,000/- (Fifty Thousand) only as an earnest money in the form of Bank Draft duly pledged in favour of the undersigned along with the quotations.
- 21.Technical Bids will be opened on schedule date and time in the office chamber of Police Headquarter. Representatives of the firms competing in the tender may remain present at the time of opening of the technical bid.
- 22.The technical bids will be opened first and placed before the Technical Committee of the Police Headquarters, Bihar. If the technical bids are found satisfactory as per tender conditions, it will be put before Central Purchase Committee of the Police Headquarters, Bihar. The firms may be required to participate in the demonstrations of the quoted product and discussions with this committee.
- 23.Any paper/document will not be accepted after opening the tender.
- 24.Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the order as security money in the form of Bank Guarantee duly pledged in favor of undersigned.
- 25.The firm will be required to provide satisfactory service after the delivery of the product.
- 26.The firm will be required to supply all the items within the stipulated time frame as mentioned in the purchase order.
- 27.Payment for the delivered items will be made only after the acceptance report of the Inspection Committee of the Police Headquarters, Bihar.
- 28.The firm whose quotation is approved by the Central Purchase Committee of the Police Headquarters, Bihar, shall be invited to enter into an agreement with the undersigned.
- 29.It is compulsory to submit the duly filled chart attached herewith, along with the technical bid.
- 30.Indexing of the requisite documents must be done and submitted along with the technical bid.
- 31.Hands on training of the equipment must be imparted to the user group by the firm.
- 32.Director General of Police Bihar, Patna reserves the right to reject any or all the quotations partially or fully without assigning any reason thereof.
- 33.The Quantity indicated may increase or decrease at the time of issuing purchase order.

*Singh*  
12/10/16  
**A I G (O)**  
**Bihar, Police**

117

## ELECTRONIC STETHOSCOPE

- Sensor : Air- coupled HIR sound transducer  
activated by diaphragm
- Amplifier : Solid-state integrated circuit gives  
1 to 10 fold amplification in Model HG 900
- Volume : Continuously adjustable by graduated  
1 to 5 potentiometer control
- Filter : 2 - Way Electronic Filter Switch  
a) LO-Filter for low pitch sound;  
b) HI-Filter for high pitch sound
- Mechanical : Glass epoxy sealed PCB,  
Unbreakable ABS/Cr-Metal body;  
Soft Polymer tubing / Ear-tips,  
Stainless Steel Binaural Spring.
- Power : One 3 Volt Lithium Cell :  
Type CR 2032, or equivalent.
- Size/Weight : Chestpiece: 5 cm round / 3 cm high;  
Y-tubing: 55 cms long.  
Black/Grey color - 180 gms -  
Carry Case: 27 x 15 x 5 cms

2014/05/08  
05.8.15

## TECHNICAL SPECIFICATIONS -TELESCOPIC MANIPULATOR

1. The equipment should be less than 15 Kgs. Should be usable with the help of a shoulder strap by a single bomb technician.
2. The equipment should offer a minimum safety distance of 4 meters.
3. The claws should be adjustable with opening distance of at least 15 cms (6 inches).
4. The Manipulator should be able to pick up a maximum weight of 10 Kg. when fully extended.
5. The battery pack power source should last for minimum 30 minutes of operations. The battery should be rechargeable.
6. The telescopic manipulator should have a break away tip arrangement, so that in case of possible explosion only the tip is damaged.
7. The equipment should be provided with various optional claws, which can be fitted and used as required depending on the shape of the object to be manipulated.

2014/08/05  
05.8.15

112

# Remote Operated Wire Cutter

## Specifications

- 
- Its able to cut electric wire upto dia 5 mm thickness remotely. (Option available till 10,15,20 & 25 mm )
  - Works on inbuilt SMF rechargeable battery with universal charger ( 70-240 V, 50-60 hz
  - Comes with a wired / cordless remote of minimum distance of 25 meters, option available upto 100 metres
  - It's light weight , portable devise.
  - Its possible to adjust the height of the equipment from 3 inches to 11 inches. Option also available till 2.2 metres.
  - Self balancing tripod stand to stand on any time of hard/ soft ground.
  - It has 360 degrees horizontal movement , with locking arrangement.
  - It has option to adjust the y axis / angle of the cutter upto 45 deg.
  - Its operatable on both AC and DC
  - Modular design, easy to carry , remotely operatable.
  - Can also be mounted on any ROV

2012/12/15  
05.8.15

# Telescopic prodder (non metallic)

## Specifications:-

1. Robust & light weight.
2. Non magnetic material.
3. Non metallic tip.
4. Heavy duty plastic handle.
5. Telescopic rod with removable tip.
6. Extended length- 1 meter.
7. Closed length – ½ meter.
8. Soft rubber grip.
9. Nylon carry case/webbing carrier.
10. Air craft aluminium LED torch.
11. Powder coated/ nickel coated.
12. As per DRDO/RDSO specification.

2016/14/05/03  
05.8.15



## Extention search mirror:-

### Specifications:-

1. Mirror size : 7"x5"
2. Arm length : around 5ft (extendable)
3. Lighting : 2 cell torch
4. Sp. Features : fast viewing.
5. Application : inspection of small vehicles & inaccessible places.

2014/12/16  
05.8.15

7

### Telescopic Prodder (Metallic)

Specifications:-

- It should be made with rust proof heavy steel.
- Two Fold threaded rods should be provided, front rod should go inside main rod when not in use/during transportations.
- Total length should be 80cm to 90 cm.
- One end should be sharp pointed and other end should be shock proof rubber grip.
- Total Weight should not be exceed more than 1 kg.
- It should be strong enough to dig all kinds of soils.

20/10/15  
05.8.15