

सेवा में,

निदेशक,
सूचना एवं जनसम्पर्क विभाग,
बिहार, पटना।


विषय- निविदा आमंत्रण सूचना सं०-21/2016-17 के प्रकाशन के संबंध में।

निदेशानुसार उपर्युक्त विषय के संबंध में निविदा आमंत्रण सूचना सं०-21/2016-17 की पाँच प्रतियाँ (सी०डी० सहित) संलग्न करते हुए अनुरोध है कि इसे राज्य एवं राज्य से बाहर के प्रमुख समाचार पत्रों में (अंग्रेजी एवं हिन्दी) के अगले दो संस्करणों में प्रकाशित कराने की कृपा की जाय साथ ही पी०आर०डी० वेबसाइट पर भी प्रसारित करने की कृपा की जाय। उक्त निविदा का प्रकाशन Indian Trade Journal, Kolkata के संस्करण में भी अनिवार्य रूप से कराया जाय, जिसका पता निम्न है :-

Government of India, the Controller of Publications, Civil Lines, Delhi :
110 054, (Tel No. 011-23812527, FAX : 011-23817846), Email Id-
sk.mondal.dgcis@nic.in


इस निविदा आमंत्रण सूचना का प्रकाशन किन-किन समाचार पत्रों में किया गया इसकी सूचना देने की कृपा की जाय।

अनु०-यथोपरि।


पुलिस महानिरीक्षक के सहायक (क्यू०),
बिहार, पटना।

प्रतिलिपि:-

1. आई०टी० मैनेजर, पुलिस महानिदेशक का कार्यालय, बिहार, पटना को कृपया सूचनार्थ। कृपया इसे आज ही वेबसाइट पर अपलोड किया जाय। साथ ही Indian Trade Journal, Kolkata के अंक में प्रकाशन हेतु Government of India, the Controller of Publications, Civil Lines, Delhi : 110 054, (Tel No. 011-23812527, FAX : 011-23817846), Email Id- sk.mondal.dgcis@nic.in के पतेपर भी अनिवार्य रूप से भेजा जाय।
2. Government of India, the Controller of Publications, Civil Lines, Delhi : 110 054, (Tel No. 011-23812527, FAX : 011-23817846), Email Id- sk.mondal.dgcis@nic.in को कृपया सूचनार्थ एवं आवश्यक क्रियार्थ प्रेषित। अनुरोध है कि उक्त निविदा का प्रकाशन Indian Trade Journal, Kolkata के अंक में करने की कृपा की जाय।


पुलिस महानिरीक्षक के सहायक (क्यू०),
बिहार, पटना।

24


Police Headquarters, Bihar, Patna
Notice Inviting Tender No.21/2016-17

1. Name of the Department : Office of Director General of Police, Bihar, Patna.
2. Last date & time for the acceptance of the tender : 11 / 8 / 2016, Till 11:00 AM
3. Date & time fixed for the opening of the tender : 11 / 8 / 2016 At 11:00 AM
4. Place fixed for receiving & opening the tender : Office of Director General of Police, Bihar, Patna.

5. Details of Job :

S.N.	Item name	Quantity
1	Earthquake Rescue Instruments (Full Set) for Special Battalion for Disaster Risk Management Work	01


Specifications and other terms & conditions of the tender may be obtained in person from this office or may be downloaded from the website www.prdbihar.org or www.biharpolice.bih.nic.in.


AIG (Q)
Bihar, Patna.

Terms & Conditions Of Tender No. 21/2016-17

1. Tender of the firm will be accepted only on the condition that if their tenders are approved, the firm shall get registered with the Commercial Tax Department, Bihar, before the purchase order is issued.
2. The tender should be submitted in two parts : (i) Technical Bid and (ii) Financial Bid, duly sealed in two separate envelopes super-scribed as "Technical Bid" and "Financial Bid".
3. All relevant papers/certificates/specifications etc. of items should be enclosed in the Technical Bid.
4. The rates of the items shall be quoted in the Financial Bid only.
5. All charges like BST/CST/Service Tax /VAT etc. shall be clearly mentioned in the Financial Bid and the net rate (in figures and words) including all taxes and duties must also be quoted. Vague offers like indicating taxes "as applicable" will not be accepted.
6. The rates of the items shall be quoted in the Financial Bid in two parts : (i) With AMC (Annual Maintenance Contract) and (ii) Without AMC
7. There should be no cutting, over writing or correction on the rates.
8. The technical and financial bids for each item should be submitted separately in separate envelopes. The technical and financial bids for more than one items submitted together in the same envelope shall not be accepted.
9. If the financial bid is submitted in the same envelope containing the technical bid then also it shall be summarily rejected.
10. The technical and financial bids should be put in two separate sealed envelopes and the envelopes should be marked Tender No-21/2016-17 (Technical Bid) and Tender No-21/16-17 (Financial Bid) along with the name and address of the firm. **The sealed envelopes containing the technical and the financial bids should be sent in another sealed envelope which should be marked as Tender No-21/2016-17. This envelope should not bear the name and address of the firm.**
11. Up-to-date Income Tax Returns, Turn Over of last three financial years and a photocopy of PAN of the participating firm should be submitted with the technical bid. It should be specifically mentioned whether IT return has been filed manually or electronically.
12. The turn over of the firm for the 2015-16 financial year should be at least double the amount of the supply order which is being issued. A copy of the profit and loss Account of the firm for the 2015-16 financial year, certified by a Chartered Accountant should be submitted along with the tender. If the tenderer is authorized dealer or authorized supplier of manufacturing firm, then the certified details of the turnover of authorizing firm may be accepted. Tender specific authority from the OEM must be submitted.
13. If there is some discount in the price of any item, it should be deducted from price itself and should not be quoted separately.
14. If the product is available on DGS & D rate contract, then a copy of the contract must be attached and pricing be done including all taxes.
15. A copy of the test report for the product issued by a competent authority should be attached with the technical bid.
16. In case of Bullet Proof/Bullet Resistant items, test report of TBRL is compulsory.

- 2
17. Firms participating in this tender shall also submit duly sworn affidavit to the effect that " this firm has not been black listed/debarred by any Government or Semi Government or Private Agency and no sister concern of this firm is participating in this tender."
 18. Firms participating in this tender shall also submit the self attested list of users of its equipments.
 19. All items shall be received at Central Clothing Store, Patna, therefore price should be quoted FOR Central Clothing Store, Phulwari Sharif, Patna.
 20. Firms will have to deposit a sum of Rs.50,000/- (Fifty Thousand) only as an earnest money in the form of Bank Draft duly pledged in favour of the undersigned along with the quotations.
 21. Technical Bids will be opened on schedule date and time in the office chamber of Police Headquarter. Representatives of the firms competing in the tender may remain present at the time of opening of the technical bid.
 22. The technical bids will be opened first and placed before the Technical Committee of the Police Headquarters, Bihar. If the technical bids are found satisfactory as per tender conditions, it will be put before Central Purchase Committee of the Police Headquarters, Bihar. The firms may be required to participate in the demonstrations of the quoted product and discussions with this committee.
 23. Any paper/document will not be accepted after opening the tender.
 24. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the order as security money in the form of Bank Guarantee duly pledged in favor of undersigned.
 25. The firm will be required to provide satisfactory service after the delivery of the product.
 26. The firm will be required to supply all the items within the stipulated time frame as mentioned in the purchase order.
 27. Payment for the delivered items will be made only after the acceptance report of the Inspection Committee of the Police Headquarters, Bihar.
 28. The firm whose quotation is approved by the Central Purchase Committee of the Police Headquarters, Bihar, shall be invited to enter into an agreement with the undersigned.
 29. It is compulsory to submit the duly filled chart attached herewith, along with the technical bid.
 30. Indexing of the requisite documents must be done and submitted along with the technical bid.
 31. Hands on training of the equipment must be imparted to the user group by the firm.
 32. Director General of Police Bihar, Patna reserves the right to reject any or all the quotations partially or fully without assigning any reason thereof.
 33. The Quantity indicated may increase or decrease at the time of issuing purchase order.


A I G (Q)
Bihar, Police.

120
20

Sl. No.	Name of Item	Item Quantity
EXTRICATION & ACCESS EQUIPMENT		
01.	Angle Cutter (Electric) 14" Dia	02
02.	Replacement Diamond Tipped Blades For Angle Cutter	02
03.	Replacement Composite Blades For Angle Cutter	02
04.	Bullet Chain Saw 16"	02
POWER TOOLS		
01.	Electric Drill	02
02.	Electric Drill Bit Set	02
03.	Rotary Hammer Drill	02
04.	Rotary Hammer Drill Bit	02
05.	Reciprocating Saw	02
06.	Reciprocating Saw Blade Wood	02
07.	Reciprocating Saw Blade Metal	02
LIGHTING & POWER EQUIPMENT		
01.	Portable Generator 2.5 KVA	02
HAND TOOLS		
01.	Bolt Cutter 30 inches	02
02.	Screw Driver Set	02
03.	Claw Hammer	02
04.	Round Sholval 8 inches	02
05.	Spades	02
INDIVIBUAL KIT		
01.	Reflective Jackets Water Proof	40 सेट
02.	Safety Helmates	40 सेट
03.	Boots Hard Toe Steel Shank	40 सेट
04.	Safety Torches	40 सेट
MISCELLANEOUS UTILITY EQUIPMENTS		
01.	Tarpaulin 6m x 6m	02
02.	Scene Tape 100m Rolls	02
03.	Rope Nylon 100 m Rolls	02
04.	Traffic cones	02
05.	Full Body Harness	02
PERSONNEL PROTECTIVE GEAR		
01.	Heavy Duty Work Gloves	02
02.	Safety goggles	02
03.	Nose Mask	02
04-	Dust Mask	02
05.	Earplug (Corded)	02
06.	Knee Pad cushion 1 inch	02
EQUIPMENT FOR AMBULANCE		
01. ✓	Stretcher/ Spin Board with Accessories	2

119

37. SPECIFICATION OF BAG VALVE MASK INFANT (SILICON)

- Material texturized silicon, and autoclavable.
- Size INFANT, compressible, reusable silicon bag of 1600 ml capacity.
- Component- Self-inflating silicon bag . One way inflating valve, facemask., Oxygen reservoir, Oxygen port connecting tube. Transparent soft pre inflated plastic facemask.
- Good quality connecting tube of 3 m lengths.
- Standardized 15/22 mm fitting. Adjustable book and loop handle. Collapsible body and reservoir.
- PEEP Valve/elbows included non-jam valve with max Oxygen flow of 8 L /min. Carry case to be provided.

38. SPECIFICATION OF TORCH

- Stainless steel body.
- Snap; lock for hooking to belt of the user

3 large cell capacity, Durable, waterproof and durable On/Off switch.

39. SPECIFICATION OF STRETCHER / SPINE BOARD WITH ACCESSORIES

- Dimension : 1830 mm (L) , 420 mm (W)
- Weight : 5 Kg
- Capacity : 200 kg
- CT/MRI Compatible and radio lucent
- Material : Carbon fiber or fiber glass material

Separate hand holds and restraint holds with smooth edges for easy and comfortable lifting with Velero straps.

118
18

50. Specification of Ventilator and air tube with motor

Motor Having At least 0.5 hp motor.

Exhaust pipe – 300 mm dia, flexible corrugated Pipe with push back folding arrangement, 20-22 meter long, Used to Provide ventilation / Exhaust of air from Confined spaces or outside environment and Vice-versa.

51. SPECIFICATION ROTARY RESCUE SAW FOR DIAMOND TIP 12" REPLACEMENT BLADE

Voltage - 220-250 V

Wattage- 2000-2300 W

RPM –6300-6500

Disc Diameter max ...300 mm(12")

Arbor size 22- 22.5 mm With required accessories and electrical cord of about 5 mtr. in length with 5 amp three/two pin plug.

Noise level : <100db

With suitable Protective carry case.

52. Chipping Hammer Bit- Flat

SPECIFICATION

a) Bit length: 11" & 16"

b) Bit diameter: 19 mm

c) Material : High tensile steel with minimum 55% carbon, SDS Type

53. Chipping Hammer Bit- Pointed

SPECIFICATION

a) Bit length : 11 & 16 "

b) Bit diameter : 19 mm

54. SPECIFICATION FOR SELF CONTAINED COMPRESSED AIR OPEN CIRCUIT BREATHING APPARATUS

1. SCOPE

This specification prescribes requirements of design, performance and practical test for open circuit type breathing apparatus.

Handwritten marks: a circle with '17', a circle with '18', and a circle with '19'.

48 .SPECIFICATION OF Electric drill with protective carrier


<u>Name of Equipment/item</u>
Input power: 450 W No load speed: 3000 RPM Light weight Shock proof body with different sizes of bits for both metal & wood.

49 .SPECIFICATION OF Electric drill bit set (complete set of 19 bits)

<u>Name of Equipment/item</u>
a) Bit type: Material bits used for wood & metal cutting b) Bit diameter: Complete set of 19 bits from 1 mm to 10 mm c) Compatibility: Compatible with Electric drill equipment d) Material- High speed steel e) Hardness –760 HV Min, 900 HV MAX f) Hand of cutting unless otherwise specified Right. g) The drills shall be manufactured in one piece and shall be free from cracks and burrs. h) The two cutting edges of the center drill shall be diametrically opposite. i) The drill shall be properly sharpened and ready for use. j) Each center drill shall be covered with a suitable rust proofing material .

NOTE OF TENDER

1. The tenderer shall indicate the make/model in their offer.
2. The tenderer shall furnish the clause by clause compliance statement. In case there is any deviation the same should be clearly brought out in the offer.
3. They shall mention the relevant BIS/EN/DIN/UL certification of the product offered.
Technical manual comprising of servicing details shall be supplied with system.
4. If above equipments/machine requires specific training for operating them, the tenderers should ensure that proper training on operations and its maintenance is provided to each consignees.
5. The confirmation that the stores are meeting the specification should be supported by documents/ literature etc.
6. These documents of all stores offered be numbered and attached after all appendices and the numbering may be in continuation.

1/6


		<p>Noise level : <100db</p> <p>Arbor size 22- 22.5 mm With required accessories and electrical cord of about 5 mtr. in length with 5 amp three/two pin plug.</p> <p>With suitable Protective carry case.</p>
41	Diamond blade(14" angle cutter tip)for	<p>RPM at least 6300</p> <p>Arbor size- 22.mm to 22.5 mm</p> <p>Dia 355mm or 14"</p> <p>Thickness-3.5mm</p> <p>Compatible with Rotary Rescue Saw</p>
42	Composite metal for blade angle cutter	<p>RPM 6300 or more</p> <p>Arbor size- 22 mm to 22.5 mm</p> <p>Dia 300mm or 355 mm</p> <p>Thickness-3 to 3.5mm</p> <p>Compatible with Rotary Rescue Saw</p>
43	Reciprocating Saw	<ol style="list-style-type: none"> 1. Rated power- 600 W to 700 W at 220-240 Volts. 2. Output power- Not Less Than 350 W 3. Stroke rate (at no load) - 2600/Min 4 stroke length - 28 mm 5. Cutting depth,(wood) - 165 mm 6. Cutting depth, (steel sheet)- 20 mm 7. With required accessories and electrical cord of about 5 mtr. in length with 4 to 5 amp three/two pin plug. 8. Rate Current : 2.7 Amp 9. Noise level: <100 db 10.Spare blades for metal &wood cutting 10 Nos <p>With suitable Protective carry case.</p>

115
15

44. Blade for Reciprocating saw (For metal cutting)

SPECIFICATION

a) Blade type:- Metal blade of High speed steel used for metal cutting

b) Blade length :- 150 mm

c) Compatibility :- Compatible with Reciprocating saw equipment

d) TPI:- 24 Tooth per inches

e) Blade width :- 16 mm

f) Thickness:- 0.90 mm

BIS Specification

g) Material- The low alloy cold rolled steel strips in hardened, tempered and polished condition having carbon silicon manganese chromium Nickel Sulphur and Phosphorus

h) Hardness -410 HV min 450 HV max

i) Tooth shape- The tooth shape shall be with 56 gullet angle and 10 rake angle.

j) Tooth setting- the provision of the rake setting of the tooth shall be at the discretion of the manufacturer.

k) Marking- marking- The band saw blades shall be marked with the size and manufacturer's name and trade mark at equal spaced intervals over the bands.

45. Blade for Reciprocating saw (For wooden cutting)

SPECIFICATION

a) Blade type:- Metal (high carbon steel) blade used for wood cutting

b) Blade length :- 240 mm

c) Compatibility:- Compatible with Reciprocating saw equipment

d) TPI:- 05 Tooth per inches

e) Blade width:- 19 mm

f) Thickness:- 1.50 mm

BIS Specification

a) Material- The low alloy cold rolled steel strips in hardened, tempered and polished condition having carbon silicon manganese chromium Nickel Sulphur and Phosphorus

2. COLLAPSED STRUCTURE SEARCH AND RESCUE CSSR (72 ITEMS)

1. SPECIFICATION OF PLIER 8 INCH

- a) Size : Length 8"
- b) Material: made of forged steel with insulated handle
- c) Teeth/cutting edge: One jaw having cutting edge & other have teeth BIS Specifications
- d) The pliers should have insulated handle. The insulating material shall be PVC or any other suitable material.
- e) The insulation shall cover the whole of the handle and insulating material shall adhere firmly to the handle
- f) The pliers shall pass various tests described in IS 2615

2. SPECIFICATION OF VISE GRIP 10 INCH

- a) size : Length 10"
- b) Material: made of forged steel
- c) Teeth : On both jaws

3. SPECIFICATION OF BOLT CUTTER 14 INCH

- a) Size : Length 14"
- b) Cutting jaws: made of high tensile solid alloy steel, specially head treated with center cut heads.
- c) Handle: With sufficient grip of rubber fro a length of 6 to 8 inches
- d) Application: Suitable for cutting hard material viz bolt, iron rod of 8 to 10 mm diameter

4. SPECIFICATION OF BOLT CUTTER 30 INCHS

- a) Size: Length 30"
- b) cutting jaws: made of high tensile solid alloy steel, specially heat treated with center cut head
- c) Handle: With sufficient grip of rubber fro a length of 6 to 8 inches
- d) Application: Suitable for cutting hard material viz. bolt, iron rod of 10 to 14 mm diameter

112 12

12. SPECIFICATIN CROW BAR 3 FEET

- a) Size : Length 36 "
- b) Diameter of rod: 1"
- c) Material: made of tempered steel
- d) Attachment: Claw attachment for removing nails

BIS Specifications

- e) The bars shall be heat treated to obtain a minimum hardness value of 320 HV.
- f) The material shall be suitable quality steel such as wrought steel
- g) The bars shall be forged clean & in one piece.
- h) Cutting ends of the bars may be rounded off & finished ground.

13. SPECIFICATION OF PICK MATTOCK

- a) Size : 2" wide, 9" long
- b) Weight: 3 Kg

Ends : One prong end blunt point headed 9" long & other prong flat headed

14. SPECIFICATION OF WORKING LAMP WITH 50 M LEAD

- a) Type : With bulb holder, wire mesh protection for bulb
- b) Handle : Fully Insulated handle to provide manual grip

Cord: PVC wire of 6 mm, 50 meter length with 2/3 pin plug

15. SPECIFICATION OF CLAW HAMMER

- a) Weight : 1 lbs
- b) Type: Nagore type
- c) Size : Width 4"
- d) Provision: 3/4" head dia at one side of hammer & claw on the other side to remove nail
- e) Handle : Wooden handle

BIS Specifications

- f) Striking face hardness : 46 to 58 HRC
- g) Hammer shall be cleanly forged & free from flaws, seams, & other forging defects.