

ज्ञापांक.....4259...../आपूर्ति

95-1-5-2016

पुलिस महानिदेशक का कार्यालय, बिहार, पटना।

पटना,दिनांक- 11-8-16

सेवा में,

निदेशक,
सूचना एवं जनसम्पर्क विभाग,
बिहार, पटना।

विषय- निविदा आमंत्रण सूचना सं०-28/2016-17 के प्रकाशन के संबंध में।

निदेशानुसार उपर्युक्त विषय के संबंध में निविदा आमंत्रण सूचना सं०-28/2016-17 की पाँच प्रतियाँ (सी०डी० सहित) संलग्न करते हुए अनुरोध है कि इसे राज्य एवं राज्य से बाहर के प्रमुख समाचार पत्रों में (अंग्रेजी एवं हिन्दी) के अगले दो संस्करणों में प्रकाशित कराने की कृपा की जाय साथ ही पी०आर०डी० वेबसाइट पर भी प्रसारित करने की कृपा की जाय।

इस निविदा आमंत्रण सूचना का प्रकाशन किन-किन समाचार पत्रों में किया गया इसकी सूचना देने की कृपा की जाय।

अनु०-यथोपरि।

11-8-16

पुलिस महानिरीक्षक के सहायक (क्यू०),
बिहार, पटना।

प्रतिलिपि:-

1. आई०टी० मैनेजर, पुलिस महानिदेशक का कार्यालय, बिहार, पटना को कृपया सूचनार्थ। कृपया इसे आज ही वेबसाइट पर अपलोड किया जाय।

Police Headquarters, Bihar, Patna
Notice Inviting Tender No.28/2016-17

1. Name of the Department : Office of Director General of Police, Bihar, Patna.
2. Last date & time for the acceptance of the tender : 9/ 9 /2016, Till 11:00 AM
3. Date & time fixed for the opening of the tender : 9/ 9 /2016 At 11:00 AM
4. Place fixed for receiving & opening the tender : Office of Director General of Police, Bihar, Patna.

5. Details of Job :

S.N.	Item name	Quantity
1	Motorola Voice Ducer	30
2	Telescope	10
3	LED Dragon Light	08
4	De-Bugging Equipments Bug tracker, RF detector, bug chaser and camera catchers (for santization from electronic bugs in an area VVIP arrivals.)	02
5	Wireless Tactical Observation Cameras	05
6	Tactical Blanket System	05

Specifications and other terms & conditions of the tender may be obtained in person from this office or may be downloaded from the website www.prdbihar.org or www.biharpolice.bih.nic.in.



AIG (Q)
Bihar, Patna.

Terms & Conditions Of Tender No. 28/2016-17

41

1. Tender of the firm will be accepted only on the condition that if their tenders are approved, the firm shall get registered with the Commercial Tax Department, Bihar, before the purchase order is issued.
2. The tender should be submitted in two parts : (i) Technical Bid and (ii) Financial Bid, duly sealed in two separate envelopes super-scribed as "Technical Bid" and "Financial Bid".
3. All relevant papers/certificates/specifications etc. of items should be enclosed in the Technical Bid.
4. The rates of the items shall be quoted in the Financial Bid only.
5. All charges like BST/CST/Service Tax /VAT etc. shall be clearly mentioned in the Financial Bid and the net rate (in figures and words) including all taxes and duties must also be quoted. Vague offers like indicating taxes "as applicable" will not be accepted.
6. The rates of the items shall be quoted in the Financial Bid in two parts : (i) With AMC (Annual Maintenance Contract) and (ii) Without AMC
7. There should be no cutting, over writing or correction on the rates.
8. The financial bids for each item should be submitted separately in separate envelopes. The financial bids for more than one items submitted together in the same envelope shall not be accepted.
9. If the financial bid is submitted in the same envelope containing the technical bid then also it shall be summarily rejected.
10. The technical and financial bids should be put in two separate sealed envelopes and the envelopes should be marked Tender No-28/2016-17 (Technical Bid) and Tender No-28/16-17 (Financial Bid) along with the name and address of the firm. **The sealed envelopes containing the technical and the financial bids should be sent in another sealed envelope which should be marked as Tender No-28/2016-17. This envelope should not bear the name and address of the firm.**
11. Up-to-date Income Tax Returns, Turn Over of last three financial years and a photocopy of PAN of the participating firm should be submitted with the technical bid. It should be specifically mentioned whether IT return has been filed manually or electronically.
12. The turn over of the firm for the 2015-16 financial year should be at least double the amount of the supply order which is being issued. A copy of the profit and loss Account of the firm for the 2015-16 financial year, certified by a Chartered Accountant should be submitted along with the tender. If the tenderer is authorized dealer or authorized supplier of manufacturing firm, then the certified details of the turnover of authorizing firm may be accepted. Tender specific authority from the OEM must be submitted.
13. If there is some discount in the price of any item, it should be deducted from price itself and should not be quoted separately.
14. If the product is available on DGS & D rate contract, then a copy of the contract must be attached and pricing be done including all taxes.
15. A copy of the test report for the product issued by a competent authority should be attached with the technical bid.
16. In case of Bullet Proof/Bullet Resistant items, test report of TBRL is compulsory.

17. Firms participating in this tender shall also submit duly sworn affidavit to the effect that " this firm has not been black listed/debarred by any Government or Semi Government or Private Agency and no sister concern of this firm is participating in this tender."
18. Firms participating in this tender shall also submit the self attested list of users of its equipments.
19. All items shall be received at Central Clothing Store, Patna, therefore price should be quoted FOR Central Clothing Store, Phulwari Sharif, Patna.
20. Firms will have to deposit a sum of Rs.50,000/- (Fifty Thousand) only as an earnest money in the form of Bank Draft duly pledged in favour of the undersigned along with the quotations.
21. Technical Bids will be opened on schedule date and time in the office chamber of Police Headquarter. Representatives of the firms competing in the tender may remain present at the time of opening of the technical bid.
22. The technical bids will be opened first and placed before the Technical Committee of the Police Headquarters, Bihar. If the technical bids are found satisfactory as per tender conditions, it will be put before Central Purchase Committee of the Police Headquarters, Bihar. The firms may be required to participate in the demonstrations of the quoted product and discussions with this committee.
23. Any paper/document will not be accepted after opening the tender.
24. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the order as security money in the form of Bank Guarantee duly pledged in favor of undersigned.
25. The firm will be required to provide satisfactory service after the delivery of the product.
26. The firm will be required to supply all the items within the stipulated time frame as mentioned in the purchase order.
27. Payment for the delivered items will be made only after the acceptance report of the Inspection Committee of the Police Headquarters, Bihar.
28. The firm whose quotation is approved by the Central Purchase Committee of the Police Headquarters, Bihar, shall be invited to enter into an agreement with the undersigned.
29. It is compulsory to submit the duly filled chart attached herewith, along with the technical bid.
30. Indexing of the requisite documents must be done and submitted along with the technical bid.
31. Hands on training of the equipment must be imparted to the user group by the firm.
32. Director General of Police Bihar, Patna reserves the right to reject any or all the quotations partially or fully without assigning any reason thereof.
33. The supply of bomb suit will be accepted only after live blast test at firms own cost.
34. The Quantity indicated may increase or decrease at the time of issuing purchase order.

Q.
11.8.14

A I G (Q)
Bihar, Police.

VOICE DUCER

123

SPECIFICATIONS

Ear Microphone Dimensions (Earpiece) Cable Length Weight	16.4mm(W)X13.5mm(H)X26mm(L) 110±5cm including connector Standard noise level ear mic: 17g High noise level ear mic: 20g
Microphone Type Output sensitivity Operating voltage	Piezo-electric accelerometer -31dB ± 5dB at 1kHz (0dB = 1 V/0.5G) DC 2.5 ~ 10V
Receiver Type Rated input Rated output S.P.L.	Electromagnetic receiver 1 mW 106 dB(C) ±5 dB at 1 mW, 1 kHz (0 dB = 20µPa)
Interface Module Power supply Min. operating voltage Operating temperature	AAA 1.5 V alkaline battery 0.9 V -20 ~ +60°C
PTT Interface Module Battery life Dimensions (Housing) Weight	40 hrs (Alkaline) continuous transmit 39mm(W)X27mm(D)X95mm(H) 170g
VOX Interface Module Battery life VOX rise time VOX hang time Dimensions (Housing) Weight	35 hrs (Alkaline) in continuous VOX transmit 0.3 sec. max. 1.35 sec. ±20% 39mm(W)X28mm(D)X95mm(H) 180g

Day Night Use Polarized Optical Telescope Folding Binoculars

Sr. no.	Description	Specifications
GENERAL		
1	Objective Diameter	126mm
2	Suitable For	Daynight, Navigation, Hunting, Hiking, Birdwatching
3	Type	Binoculars
4	Modal Name	Day night Use Polarized Optical Telescope Folding 30x60 126M/1000M
5	Handheld/Mount	Handheld
6	Magnification	30 x 60 x
7	Color	Black
OPTICAL FEATURES		
1	Closest Focus Distance	5m
2	Eye Relief	23m
3	Diopet Adjustment Range	Over +/-21/m
4	Field Of View at 1000 m	126 m
5	Real Field of View	7.2 degree
DIMENSION		
1	Weight	210g
2	Height	100mm
3	Width	90mm
4	Depth	40 mm
LENS FEATURES		
1	Lens Construction	13 Elements in 9 Groups
2	Optical Coatings	UV Coating, Fully Multi-coated, Polarized

LED Dragon Light

Sr. no.	Description	Specifications
1	Weight	Lamp Unit (inc. battery) 3kg
2	Dimensions	L 283mm Ht 162mm W 163mm
3	Bulb	18 X Ultra White L.E.D in integrated array 8*
4	Range	452 metres
5	Power	High Peak Beam 160,000cp Low Peak Beam 80,000cp
6	Beam Angle	Horizontal 8* Vertical 8*
7	Running Time	High beam 2Hr 30 mins, Low beam 5 Hours
8	Battery	4.3 A/h Nicad 12V Rechargeable
9	Charge Time	12-14 hrs from fat battery for standard time 2.5 hrs from fat battery for Fast Charger
10	Water Resistance	To IP 65

W

RF Bug Detector

Sr. no.	Description	Specifications
1	Weight	7 oz (200g)
2	Power	Built-in-Rechargeable Ni-MH 7.2V Battery/12V AC Adapter
3	Battery Life	Up to 1 day continuous scanning
4	Charge Time	7 hours (16 if using while charging)
5	Detect Frequencies	50MHz – 6.0GHz
6	Dimensions	5.5 x 2.8 x 1.0 inches (14 x 7 x 2.5 cm)
7	Warning Mode 1	Audible alarm and 10 LEDs
8	Warning Mode 2	Acoustic display via speaker (or through earphone) and 10 LEDs
9	Warning Mode 3	Vibration and 10 LEDs
10	Detecting Distance	Wireless Bug – Up to 20 feet (beep), 10 feet (acoustic); 2.4GHz camera up to 8 feet: cellular phone up to 35 feet.

2

Wireless Tactical Observation Cameras

Sr. no.	Description	Specifications
1	Display Screen	3.0 inch color LED
2	Weight	0.4 lbs,
3	Dimensions	(D X W X H): 1.50 in X 4.55 in X 3.17 in
4	Power supply	3 V Lithium batteries (CR1123A type)
5	Runtime	2.5 hours
6	Operating temperature range	10°C to 50°C, 95% humidity
7	Frequency range	2.4 to 2.485 Ghz
8	Channel system	Internal wireless 4 channel system
9	Mounting	Velcro wrist strsp

✓

SPECIFICATION : Tactical Blanket System

GENERAL	
i	The Tactical Blanket System shall be designed to provide protection by providing coverage to team or individuals from 7.62x 51 M80 Ball SLR, AK 47 Round & Small Arm protection like handgun & pistol etc.
ii	The Tactical Blanket System should have panels which should be capable of attaching together when required. Multiple Panels shall be used in creating a ballistic wall.
iii	It should be designed to provide protection, create a wall during any hostile situation and provide tactical advantage.
iv	Complete system shall come in Mobile Hardcase. It should be easy to transport.
v	The Tactical Blanket System should be assembled with individual panels.
vi	Each panel should have the "Gladiator Grip", rubberized protective coating and the option to connect numerous attachment straps.
Construction	
A) Construction of Each Panel	
i	1) Each individual Tactical Blanket panel should be 20" x 48" ($\pm 2\%$)
	2) The total size of the assembled 5 – panel Tactical Blanket should be 91" x 48" ($\pm 2\%$)
ii	For longer life, each panel shall have a protective, rubberized coating.
iii	Each individual panel shall have protective corners on the bottom edges.
iv	Individual Tactical Blanket panel thickness should not exceed 0.75 "(± 0.1 ")
v	Each individual panel shall weight should be not more than 12.8 kg $\pm 5\%$ / less weight preferable
vi	Tactical Blanket system should have the provision for replacement of Individual panels that have been damaged by gunfire.
B) Grip	
i	Each individual Tactical Blanket panel should have a gripping system that provides for complete shield control with one hand for operational engagement.
ii	The individual Tactical Blanket panel should be able to cater to a person who may use right hand or left hand during operations.
C) Vehicular Attachment	
i	The Tactical Blanket should have provision to be mounted on a hard top vehicle
ii	No modifications in vehicle shall be required for attachment of system
D) Weight	
i	Each Tactical Blanket individual panel should weigh not more than 12.8 Kg $\pm 5\%$ / Less weight preferable
E) Panel Colour	
i	Black
F) Standard	
i	Tactical Blanket Panel should have been tested and have test report from a Government Recognized or TBRL Laboratory.
ii	The panels should be able to take minimum 5 separate shot from 7.62 x 51 Nato Ball fired from Self Loading Rifle (SLR) at velocity not less than 810 meter per second from firing distance of 10 meters.
G) Accessories	
i)	Minimum 2 aluminium Pole
ii)	Minimum 2 Loop Straps.
iii)	Minimum 3 Lansing Strap and should be adjustable.
iv)	Minimum 5 Pole Strap to hold the aluminium pole.