

ज्ञापांक... 6042 / आपूर्ति
95-1-5-2016

पुलिस महानिदेशक का कार्यालय, बिहार, पटना।

पटना, दिनांक-16-11-2016

सेवा में,


निदेशक,
सूचना एवं जनसम्पर्क विभाग,
बिहार, पटना।

विषय- अल्पकालीन पुनर्निविदा आमंत्रण सूचना सं०-53/2016-17 के प्रकाशन के संबंध में।

निदेशानुसार उपर्युक्त विषय के संबंध में अल्पकालीन पुनर्निविदा आमंत्रण सूचना सं०-53/2016-17 की पाँच प्रतियाँ (सी०डी० सहित) संलग्न करते हुए अनुरोध है कि इसे राज्य एवं राज्य से बाहर के प्रमुख समाचार पत्रों में (अंग्रेजी एवं हिन्दी) के अगले दो संस्करणों में प्रकाशित कराने की कृपा की जाय साथ ही पी०आर०डी० वेबसाइट पर भी प्रसारित करने की कृपा की जाय।


इस निविदा आमंत्रण सूचना का प्रकाशन किन-किन समाचार पत्रों में किया गया इसकी सूचना देने की कृपा की जाय।

अनु०-यथोपरि।


पुलिस महानिरीक्षक के सहायक (क्यू०),
बिहार, पटना।

प्रतिलिपि:-

1. आई०टी० मैनेजर, पुलिस महानिदेशक का कार्यालय, बिहार, पटना को कृपया सूचनार्थ। कृपया इसे आज ही वेबसाइट पर अपलोड किया जाय। साथ ही Indian Trade Journal, Kolkata के अंक में प्रकाशन हेतु Government of India, the Controller of Publications, Civil Lines, Delhi : 110 054, (Tel No. 011-23812527, FAX : 011-23817846), Email Id- sk.mondal.dgcis@nic.in के पतेपर भी अनिवार्य रूप से भेजा जाय।
2. Government of India, the Controller of Publications, Civil Lines, Delhi : 110 054, (Tel No. 011-23812527, FAX : 011-23817846), Email Id- sk.mondal.dgcis@nic.in को कृपया सूचनार्थ एवं आवश्यक क्रियार्थ प्रेषित। अनुरोध है कि उक्त निविदा का प्रकाशन Indian Trade Journal, Kolkata के अंक में करने की कृपा की जाय।


पुलिस महानिरीक्षक के सहायक (क्यू०),
बिहार, पटना।


1108

Police Headquarters, Bihar, Patna
Notice Inviting Short Re-Tender No.53/2016-17

1. Name of the Department : Office of Director General of Police, Bihar, Patna.
2. Last date & time for the acceptance of the short re-tender : 25/11/2016, Till 11:00 AM
3. Date & time fixed for the opening of the short re-tender : 25/11 /2016 At 11:00 AM
4. Place fixed for receiving & opening the tender : Office of Director General of
Police, Bihar, Patna.
5. Details of Job :

S.N.	Item name	Quantity
1	Motorola Voice Ducer	30
2	Motorola Voice Ducer	30

Specifications (Separate for item no.1 & item no.-2) and other terms & conditions of the tender may be obtained in person from this office or may be downloaded from the website www.prdbihar.gov.in or www.biharpolice.bih.nic.in.


AIG (Q)
Bihar, Patna.

Terms & Conditions Of Short Re-Tender No.-53/2016-17

107

1. Tender of the firm will be accepted only on the condition that if their tenders are approved, the firm shall get registered with the Commercial Tax Department, Bihar, before the purchase order is issued.
2. The tender should be submitted in two parts : (i) Technical Bid and (ii) Financial Bid, duly sealed in two separate envelopes super-scribed as "Technical Bid" and "Financial Bid".
3. All relevant papers/ E.M.D./certificates/specifications etc. of items should be enclosed in the Technical Bid.
4. The rates of the items shall be quoted in the Financial Bid only.
5. All charges like BST/CST/Service Tax /VAT etc. shall be clearly mentioned in the Financial Bid and the net rate (in figures and words) including all taxes and duties must also be quoted. Vague offers like indicating taxes "as applicable" will not be accepted.
6. The rates of the items shall be quoted in the Financial Bid in two parts : (i) With AMC (Annual Maintenance Contract) and (ii) Without AMC
7. There should be no cutting, over writing or correction on the rates.
8. The technical and financial bids for each item should be submitted separately in separate envelopes. The technical and financial bids for more than one items submitted together in the same envelope shall not be accepted.
9. If the financial bid is submitted in the same envelope containing the technical bid then also it shall be summarily rejected.
10. The technical and financial bids should be put in two separate sealed envelopes and the envelopes should be marked short Re-Tender No-53/2016-17 (Technical Bid) and short Re-Tender No-53/2016-17 (Financial Bid) along with the name and address of the firm. The sealed envelopes containing the technical and the financial bids should be sent in another sealed envelope which should be marked as short Re-Tender No-53/2016-17. This envelope should not bear the name and address of the firm.
11. Income Tax Returns of last three years, a photocopy of PAN of the participating firm and turn-over of any two of the previous three financial years should be submitted with the technical bid. It should be specifically mentioned whether IT return has been filed manually or electronically.
12. The turn over of the firm for the last reported financial year should be at least double the amount of the supply order which is being issued. A copy of the profit and loss Account of the firm for any two of the previous three financial years, certified by a Chartered Accountant should be submitted along with the tender. If the tenderer is authorized dealer or authorized supplier of manufacturing firm, then the certified details of the turnover of authorizing firm may be accepted. Tender specific authorization from the OEM must be submitted, but in certain cases where authorization from OEM is not required, the Technical-cum-User committee (T.U.C.) shall decide about exemption (if any) on a case-by-case basis; citing appropriate reasons for the same.
13. If there is some discount in the price of any item, it should be deducted from price itself and such discounts should not be quoted separately.
14. If the product is available on DGS & D rate contract, then a copy of the contract must be attached and pricing be done including all taxes.
15. A copy of the test report for the product issued by any established and recognized private Laboratory or by agency accredited by the Government should be attached with the technical bid. However if required, the Technical-cum-User committee (T.U.C.) can take decision regarding exemptions/relaxations (if any), citing appropriate reasons.

6. In case of Bullet Proof/Bullet Resistant items, test report of TBRL is compulsory.
17. Firms participating in this tender shall also submit duly sworn affidavit to the effect that " this firm has not been black listed/debarred by any Government or Semi Government or Private Agency and no sister concern of this firm is participating in this tender."
18. Firms participating in this tender shall also submit the self attested list of users of its equipments.
19. All items shall be received at Central Clothing Store, Patna, therefore price should be quoted FOR Central Clothing Store, Phulwari Sharif, Patna.
20. Firms will have to deposit a sum of Rs.50,000/- (Fifty Thousand) only as an earnest money deposit in the form of Bank Draft duly pledged in favour of the undersigned along with the quotations. The small scale units located in Bihar shall not be liable to deposit earnest money. Exemption from submitting E.M.D. will also be available to those who are registered with the Central Purchase Organisation/State Purchase Organisation and National Small Industries Corporation (NSIC).
21. Technical Bids will be opened on scheduled date and time in the office chamber of Police Headquarter. Representatives of the firms competing in the tender may remain present at the time of opening of the technical bid.
22. The technical bids will be opened first and placed before the Technical Committee of the Police Headquarters, Bihar. If the technical bids are found satisfactory as per tender conditions, it will be put before Central Purchase Committee of the Police Headquarters, Bihar. The firms may be required to participate in the demonstrations of the quoted product and discussions with this committee.
23. Any paper/document will not be accepted after opening the tender.
24. Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the order as security money in the form of Bank Guarantee duly pledged in favor of undersigned.
25. The firm will be required to provide satisfactory after-sales service after the delivery of the product.
26. The firm will be required to supply all the items within the stipulated time frame as mentioned in the purchase order.
27. Payment for the delivered items will be made only after the acceptance report of the Inspection Committee of the Police Headquarters, Bihar.
28. The firm whose quotation is approved by the Central Purchase Committee of the Police Headquarters, Bihar, shall be invited to enter into an agreement with the undersigned.
29. It is expected to submit the duly filled chart attached herewith, along with the technical bid.
30. Indexing of the requisite documents must be done and submitted along with the technical bid.
31. Hands on training of the equipment must be imparted to the user group by the firm.
32. Director General of Police Bihar, Patna reserves the right to reject any or all the quotations partially or fully, without assigning any reason thereof.
33. The Quantity indicated may increase or decrease at the time of issuing purchase order.

h
16/11
A I G (Q)
Bihar, Police.

Specification for Sr. No-1 (Motorola Voice Ducer)

105

Acoustics		
Microphone	Type	Electret
	Sensitivity	-13dB±4.5dB at 1 KHz (odB=1v/0.50/measured with vibration exciter)
	Frequency Range	300Hz~3KHz
Speaker	Type	Electromagnetic
	Output Level	95dB±4.5dB at 1KHz (OdB=20uPa) input 0.5mw, Measured with artificial ear (cc coupler)
	Frequency Range	300Hz~3k Hz
	Distortion (THD)	<20%, 300 Hz KHz at rated audio, <5% at 1 KHz with rated audio
Power		
	Power Source	Radi Battery
Cable		
	Flex Life	5000 eysles min. (Connector SR: 1.olb, ±90 ⁰)
	Cable Pull	10lbf, Minimum Tensile for 1 minute.
Environmental Specification		
	Operating Temperature	30 ⁰ c to + 60 ⁰ C
	Storage Temperature	-57 ⁰ C to + 85 ⁰ C
	Thermal Shosk	-40 ⁰ C to +80 ⁰ C
	Humidity	90% - 95% Relative Humidity at +50 ⁰ C for 8 hours
	Rain	MIL810F Method 506.4
	Salt Fog	MIL810F Method 509.4 Procedure 1
	Dust	MIL810F Method 510.4 Procedure 1
	Vibration	MIL810F Method 514.5 Procedure 1 Category 24
	Mechanical Shock	MIL810F Method 516.5 Procedure 1
	Drop Shock	4ft Drop
	ESD	IEC/EN 61000-4-2
	IP Rating	IP54 at used condition (Earplece inserted into ear canal)
Regulatory		
	EME	No radio degradation.
	EMC/R&TTE (CE)	No radio degradation.

107

Specification for Sr. No-1 (Motorola Voice Ducer)

Acoustics		
Microphone	Type	Depend on Attached SAA Specification.
	Sensitivity	Depend on Attached SAA Specification.
	GCAI Mic Output Level	-42dBV±3dB/2.2k ohm LOAD
	6 Pin Mic Max input Level	(-42dBV/1KHz input) (adjustable)
	Frequency Range	-20dBV (1KHz)
	Speaker	Depend on Attached SAA Specification.
Speaker	Type	Depend on Attached SAA Specification.
	Output Level	Depend on Attached Radio & SAA Specification.
	Frequency Range	Depend on Attached SAA Specification.
Power		
	Power Source	Radio Battery
PTT		
	Life Cycles	438,000 cycles
Cable		
	Flex Life	50,000 cycles min (connector SR: 2.0lb, ±90°)
	Cable Pull	30lb, Minimum Tensile for 1 minute.
Environmental Specifications		
	Operating Temperature	30°C to -60°C
	Storage Temperature	57°C to +85°C
	Thermal Shock	-40°C to +80°C
	Humidity	90%-95% Relative Humidity at +50°C for 8 hour
	Rain	MIL810F Method 506.4
	Salt Fog	MIL810F Method 509.4 Procedure 1
	Dust	MIL810F Method 510.4 Procedure 1
	Vibration	MIL810F Method 514.5 Procedure 1 category 24
	Mechanical Shock	MIL810F Method 516.5 Procedure 1
	Drop Shock	4ft Drop
	ESD	IEC/EN 61000-4-2
	IP Rating	IP55
Regulatory		
	EME	No radio degradation.
	EMC/R&TTE (CE)	No radio degradation.

Specification for Sr. No-2 (Motorola Voice Ducer)

103

Technical specifications of Temple Transducer Headset with Boom Microphone (In-line PTT) for Digital Radio

The Temple Transducer to enable user to hear external sounds from both ears while receiving radio communications in any kind of harsh / noisy environments.

The receiver portion of this audio set must rests on the temples and must be capable of converting the received signal from a two-way radio into sound vibration.

The sound vibration should be transmitted through the surrounding human tissue and bone directly into the inner ear where it is received by the user.

In-built corded in-line PTT and noise-cancelling boom microphone should be part of this set.

The temple transducer must enhance communication and safety by allowing external sounds, such as firing, crowd noise, warning sound of emergency alarms, and even casual conversations to be heard normally through the ears.

The temple transducer should use bone vibration to listen to the radio.

The Rugged Temple Transducer must be equipped with all the features of the basic features, but it should sport a bigger Push-to-Talk feature and a larger noise-cancelling boom microphone and fits with rugged thick cable.

It should be fully adjustable and comfortable for extended wear, and it must be comfortably rest on the head.

The Over-the-head band enables users to wear helmet / Patka over the headset.

Boom microphone should be Water resistant for use in heavy rain.

A PTT must have secure cap to prevents accidental activation.

Quality and comfort: The Temple Transducer should be made of high quality malleable steel for comfort and ease of use while wearing it behind-the-head.

Speakers: High performance bone vibration speakers for clear audio reception in noisy environments.

Microphone: The water resistant, noise-cancelling microphone to reduce the background noise during radio transmission.