

फगkj i fyl eq[; ky; ] i Vuk  
 fufonk vke=.k l ipuk l 0&11@13&14

- 1- foHkx dk uke& i fyl egkfun'skd dk dk; ky; ] fcgkj] i Vuk A
- 2- foKki unkrk dk i nuke , oa i rk& i fyl egkfujh{k d ds l gk; d 1/0; 0/1] fcgkj] i Vuk A
- 3- fufonk i kflr dh frfFk , oa l e; & fnukd&19@09@2013] 14-00 cts rd A
- 4- fufonk [kkyus dh frfFk , oa l e; & fnukd&19@09@2013] 16-00 cts A
- 5- fufonk i kflr dk LFkku& i fyl egkfun'skd dk dk; ky; ] fcgkj] i Vuk ds dk; ky; Hkou ds eq[; }kj ij j [kh fufonk i v/hA
- 6- dk; l dk C; ksjk&

S.N.	Item name	Specification	Qty
1	2	3	4
1	Riot Control Vajra Vehicle	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	15
2	Riot Control Jeep Mini Vajra	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	15
3	Body Protector Cane	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	1500
4	Helmet	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	1500
5	Lathi	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	1500
6	Water Canon	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	15
7	Pillet Gun	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	90
8	Pepper Gun	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	45
9	Dragon Light	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	150
10	Stretcher	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	90
11	Polly Carbonate Shield	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	1500
12	Fire Extionguisher Fome 9 kg	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	150
13	Video camera	Specification may be obtained from this office. or on website <a href="http://www.biharpolice.bih.nic.in">www.biharpolice.bih.nic.in</a>	15

fufonk ds 'krk dh tkudkjh ds fy, v/kkgLrk{kjh ds dk; ky; e] i fyl egkfujh{k d ds l gk; d 1/0; 0/1] fcgkj] i Vuk ds nji Hkk" k l 0&0612&2215295 ij l i d l fd; k tk l drk g] dk; ky; ds l ipuk i V rFk ocl kbV [www.prdbihar.org](http://www.prdbihar.org) or [www.biharpolice.bih.nic.in](http://www.biharpolice.bih.nic.in) ij ns[kk tk l drk gSA

g0@&  
 i fyl egkfujh{k d ds l gk; d 1/0; 0/1]  
 fcgkj] i Vuk A

## TERMS & CONDITIONS OF TENDER NO. 11 /2013-14

- 1-Tender of the firms situated inside /out side the State will be accepted with the condition that if their tenders are approved, the firm shall get itself registered with Commercial Tax Department, Bihar before the purchase order is issued.
- 2-The tender should be submitted in two parts, (1) Technical bid and (2) Financial bid duly sealed in two separate envelopes super scribed as technical bid and financial bid. The rates shall be quoted in the Financial bid. All charges like BST/CST/Service Tax /VAT etc. shall be clearly mentioned but net rate (in figures and words) including all taxes and duties shall be quoted. Vague offers like indicating taxes "as applicable" will be summarily rejected. There shall be no cutting, over writing or correction on the rates. All relevant papers/certificates/specifications etc. of items should be enclosed in technical bid.
- 3-The technical and financial bids for each item **should be submitted separately in separate envelopes.** The technical and financial bids for more than one items submitted together in the same envelope shall be summarily rejected. If the financial bid is submitted in the same envelope containing the technical bid then also it shall be summarily rejected.
- 4-The technical and financial bids should be put in two separate sealed envelopes and the envelopes should be marked "Tender No. 11/2013-14" (Technical Bid) and marked "Tender No.11/13-14" (Financial Bid) along with the name and address of the firm. The sealed envelopes containing the technical and the financial bids should be sent in an another sealed envelope which should be marked as marked " Tender No. 11/2013-14". This envelope should not bear the name and address of the firm.
- 5-Up-to-date Income Tax returns (Saral) and a photocopy of PAN of the participating firm should be submitted with the technical bid. I.T. return should have stamp and signature of the concerned department, whether filed manually or electronically.
- 6-The turn over of the firm for the 2012-13 financial year should be at least double the amount of the supply order which is being issued. A copy of the profit and loss a/c of the firm for the 2012-13 financial year certified by a Chartered Accountant should be submitted along with the tender. If the tenderer is authorized dealer and authorized supplier of manufacturing firm, then the certified details of the turnover of authorizing firm will be accepted.
- 7- If there is some discount in the price of any item, it should be deducted from price itself and should not be quoted separately.
- 8-If the product is on DGS & D rate contract then a copy of the contract be attached and pricing be done with all taxes including Bihar Sales Tax.
- 9-A copy of test report for the product issued by a competent authority with in last one year should be attached with the technical bid. In case of BP items test report of TBRL will only be accepted.
- 10-All items will be received at Central Clothing Store, Patna, therefore price should be quoted for Central Clothing Store, Phulwarisharif, Patna.
- 11-Firms will have to deposit a sum of rupees 25000/- (Twenty five thousand) only as an earnest money in the form of postal saving passbook / NSC/Bank draft duly pledged in favour of the undersigned along with the quotations.
- 12-Technical bids will be opened on 19 @09@2013 at 16.00 PM in the office chamber of the undersigned. Representatives of the tenderers may remain present at the time of opening of the technical bid.
- 13-The technical bid will be opened first and if it is found as per tender conditions, it will be put before Central Purchase Committee. The firm may have to participate in discussions with this committee and / or be required to demonstrate the quoted product. Any paper / document will not be accepted after opening the tender.
- 14-Successful firm will have to enter into an agreement after depositing a sum of 5% of the total value of the stores as security money in the form of Postal Saving Pass Book/NSC/Bank Guarantee duly pledged in favor of undersigned.
- 15-The firm will be required to provide satisfactory after sale service.
- 16-The firm will be required to supply all the items within 90 days from the date of placing order.
- 17-Payment for the delivered items will be made after receiving OK report from the Inspection Committee.
- 18-The firm whose quotation is approved shall be issued A/T. Purchase order shall be issued only after the firm enters into an agreement with the undersigned. Terms & Conditions of the agreement shall be intimated in the A/T.
- 19-Only such manufactures/authorized dealers and authorized suppliers of manufacturing firm who fulfills the above conditions should quote for supply of items.
- 20-Updated Technology at the time of supply change in condition.
- 21-Hands on Training of the user group by the firm shall be ensured.
- 22-D.G.. of Police Bihar, Patna reserves the right to reject any or all the quotations partially or fully without assigning any reason thereof.
- 23-The Quantity indicated may increase or decrease at the time of issuing purchase order.

Sd/-

**A I G of Police (Q)**  
**Bihar,Police.**

**SPECIFICATION for RIOT CONTROL VAJRA VEHICLE**

Sl.No.	Items Name	Specification
1	Vajra (Crowd Control Vehicle)	LCV based Riot-Control Vehicle designed to carry upto fifteen fully equipped personnel for riot control duties, with Equipment with two roof mounted, multi-tube TSM launchers and essential accessories such as generator, flood light for night operations, fire extinguishers, Public address system, first-aid box and stretchers. Secure rifle rack and ammunition compartment should be provided. Space for drinking water container, thermally insulated container for hot beverages should also be given. Its features must include– - Two multi-barrel TSM Launchers mounted. - Quick mounting / Dismounting. - Sheet metal body with thermally insulated roof. - Overhead racks, spring loaded hooks for carriage of shields and helmets. - Carriage rack and ammunition compartment. - Protection to rear tyres. - Explosion suppression for fuel tank. - 2KVA Generator - Flood lights for night operation – 4 - PA System - Hooter/Siren - First aid box - Stretchers -2

**Specification of Dragon Light**

**Remote operating portable search light-**

1. Search light- Length 364 mm
2. Reflection Dia- 143 mm
3. Weight- 3.8 Kg. approx.
4. Charger Length- 178 mm, Weight- 130 mm, Height- 87 mm.
5. Should be operational continuously for one hour.

**SPECIFICATION for WATER CANON**

Sl.No.	Items Name	Specification
1	Vehicle Mounted Water Canon (with 25 tonner both rear axle powered multi axle HMV Chassis)	Vehicle mounted pulsating water cannons, capable of throwing a powerful water jet up to a range of 50 mtrs. under high pressure. Dedicated auxiliary engine mounted on the chassis for operating the 3200 ltrs discharge capacity centrifugal pump. Cabin mounted hydraulic/pneumatic controls for the cannons, with manual override. Provision made for mixing irritant/indelible ink with water stream. Essential accessories such as cannon mounted flood lights, turn table mounted warning lights, public address system, cctv for rear view, catered for. Its features must be included – - Water Tank Capacity – 12000 Ltrs. - Two rotatable, platform mounted cannons. - Electro hydraulically operated, cabin mounted, joy stick remote controls for cannons, with manual override facility. - Two modes of operation : continuous / pulsating. - Range : 50 meters - Search light provided with cannons to facilitate night operations. - Additional flood light with 60 Mtr. cable. - Separate engine to drive pump. - Provision for mixing irritant/indelible ink with water stream. - Cabin mounted public address system. - Rotating warning lights on top of driver cabin.

**SPECIFICATION for Body Protector Cane**

Very lightweight, made of Cane, tuff durable and to provide total upper part of the body (above waist) protection against stone chips.

**SPECIFICATION for Helmet**

Color: Blue. Material: Poly Carbonate mixed with ABS to increase the toughness of the Helmet. The Shell with thickness: 4mm+/-0.5mm. Visor: 2mm thickness, 3 lock system, Poly carbonate material. Cushion about 2 cms thickness chin strip. Neck curtain with 6 strep-fasteners. Size: Large for Head size: 580-600mm+/-10mm.

**SPECIFICATION for Lathi**

40 bp] e\kb& 1 bp& , d fl js ij vPNk Mkh yxk g\kA l kexh& crA

**SPECIFICATION for Polly Carbonate Shield**

Material: Poly Carbonate mixed with ABS to increase the toughness of the Shield with 4mm+/-0.5mm thickness. Very lightweight, made of harmless material, tuff durable and to provide total body protection against stonechips, projectiles and ordinary chemicals.

**SPECIFICATION for Riot Control Jeep Mini Vajra**

Sl. No.	Parameters	Specification
1	Power Steering and A/C	Vehicle should be fitted with Power Steering and Air Conditioner.
2	Seating Capacity	2 (Driver + Co Driver) + 4 Crew
3	Body and Cabin	Seat should be adjustable and reclining front bucket seats, 2 Rear

		Seats for Commander and Assistant and Storage space at the back to keep necessary items for troops during operation. Bulldozer Blade in the front for removing obstructions while moving.
4	Engine	High Powered Fuel efficient Turbo DI Engine. Power: 63 HP @ 3200 rpm. Torque: 180 Nm @ 1500 rpm.
5	Fuel Used	Diesel
6	Breaks	Disk & Caliper Type, Vacuum assisted.
7	Lightning System	12V. All vehicles lights with engine compartment light and break lamp & head lamp.
8	Meshes	The vehicle should be provided with foldable protective mesh on driver and co passenger side to provide all round protection to the crew during operations.
9	Hatch	The vehicle should be provided with Hatch for all round vision and observation.
10	Accessories	1.Mounted with 2 No. Multi Tube shell Tear Gas Launchers. 2.Flashing Light Bar with Siren and Public Address System. 3.All Round Search Light Facility. 4.Drinking Water and Tea storage facility. 5.Portable Generator as extra power source. 6.First Aid Box. 7.Fire Extinguisher. 8.One Stretcher. 9.PA System with Siren.

#### **SPECIFICATION for Pepper Gun**

Dimensions (L x H x W): 7.48x3.54x1.46 in.  
Weight: 8.81 oz. JPX Standard Frame  
9.52 oz. JPX Laser Frame  
4.76 oz. 2-shot Magazine  
Range: Minimum- 5 ft and Maximum- 23 ft.  
Operation: Double-action with automatic switch-over  
Content: 2 Blasts per Magazine  
Filling Volume: 0.28 fl oz. per Cartridge  
Charge velocity (V1): 590ft/sec, 405 mph  
Charge Source: 14mm Piexon blank  
Operating temperature: -4 degree F + 140 degree F  
Sights: Open sights, Integral laser (Optional)  
Warranty: 24 months on the JPX Frame.

#### **SPECIFICATION for Pilet Gun**

Dimensions (L x H x W): 7.48x3.54x1.46 in.  
Weight: 8.81 oz. JPX Standard Frame  
9.52 oz. JPX Laser Frame  
4.76 oz. 2-shot Magazine  
Range: Minimum- 5 ft and Maximum- 23 ft.  
Operation: Double-action with automatic switch-over  
Content: 2 Blasts per Magazine  
Charge velocity (V1): 590ft/sec, 405 mph  
Charge Source: 14mm Piexon blank  
Operating temperature: -4 degree F + 140 degree F  
Sights: Open sights, Integral laser (Optional)  
Warranty: 24 months on the JPX Frame.

#### **SPECIFICATION for Stretcher**

Foldable. Length- 6 ft and Width 3 ft with handle in both side to carry. Stainless Steel made with bed and sheet.

#### **SPECIFICATION for Video Camera**

Fixed lens camera with 35X optical zoom lenses, 14.1 megapixels of resolution, 2.7-inch LCD and 720p HD video capabilities.

#### **SPECIFICATION for Fire Extinguisher Fome- 9 kg.**

B.I.S. Specification: 2878. Capacity- 9kg. it should have capacity to extinguish Class B and C type of fires with CO2 type extinguisher and cooling effects and CO2 flooding system.